

Actemra
Prior Authorization Request

Send completed form to: Case Review Unit CVS Caremark Specialty Programs Fax: 1-855-330-1720

CVS Caremark administers the prescription benefit plan for the patient identified. This patient's benefit plan requires prior authorization for certain medications in order for the drug to be covered. To make an appropriate determination, providing the most accurate diagnosis for the use of the prescribed medication is necessary. **Please respond below and fax this form to CVS Caremark toll-free at 1-855-330-1720.** If you have questions regarding the prior authorization, please contact CVS Caremark at **1-866-814-5506**. For inquiries or questions related to the patient's eligibility, drug copay or medication delivery; please contact the Specialty Customer Care Team: CaremarkConnect® 1-800-237-2767.

The recipient of this fax may make a request to opt-out of receiving telemarketing fax transmissions from CVS Caremark. There are numerous ways you may opt-out: The recipient may call the toll-free number at 877-265-2711, at any time, 24 hours a day/7 days a week. The recipient may also send an opt-out request via email to do_not_call@cvscaremark.com. An opt out request is only valid if it (1) identifies the number to which the request relates, and (2) if the person/entity making the request does not, subsequent to the request, provide express invitation or permission to CVS Caremark to send facsimile advertisements to such person/entity at that particular number. CVS Caremark is required by law to honor an opt-out request within thirty days of receipt.

Patient's Name: _____ **Date:** _____
Patient's ID: _____ **Patient's Date of Birth:** _____
Physician's Name: _____
Specialty: _____ **NPI#:** _____
Physician Office Telephone: _____ **Physician Office Fax:** _____

Referring Provider Info: Same as Requesting Provider
Name: _____ **NPI#:** _____
Fax: _____ **Phone:** _____

Rendering Provider Info: Same as Referring Provider Same as Requesting Provider
Name: _____ **NPI#:** _____
Fax: _____ **Phone:** _____

Approvals may be subject to dosing limits in accordance with FDA-approved labeling, accepted compendia, and/or evidence-based practice guidelines.

Required Demographic Information:

Patient Weight: _____ kg
Patient Height: _____ cm

Please indicate the place of service for the requested drug:

- Ambulatory Surgical Home Inpatient Hospital Off Campus Outpatient Hospital
 On Campus Outpatient Hospital Office Pharmacy

Note: This fax may contain medical information that is privileged and confidential and is solely for the use of individuals named above. If you are not the intended recipient you hereby are advised that any dissemination, distribution, or copying of this communication is prohibited. If you have received the fax in error, please immediately notify the sender by telephone and destroy the original fax message. Actemra SGM – 08/2018.

CVS Caremark is an independent company that provides pharmacy benefit management services to CareFirst BlueCross BlueShield and CareFirst BlueChoice, Inc. members.

CareFirst BlueCross BlueShield is the shared business name of CareFirst of Maryland, Inc. and Group Hospitalization and Medical Services, Inc. CareFirst of Maryland, Inc., Group Hospitalization and Medical Services, Inc., CareFirst BlueChoice, Inc., The Dental Network and First Care, Inc. are independent licensees of the Blue Cross and Blue Shield Association. In the District of Columbia and Maryland, CareFirst MedPlus is the business name of First Care, Inc. In Virginia, CareFirst MedPlus is the business name of First Care, Inc. of Maryland (used in VA by: First Care, Inc.). © Registered trademark of the Blue Cross and Blue Shield Association

Exception Criteria Questions:

- A. These are the preferred products for which coverage is provided for treatment of the following conditions:
- Rheumatoid arthritis, psoriatic arthritis: **Orencia, Remicade, and Simponi Aria**
 - Plaque psoriasis, Crohn's disease, ulcerative colitis: **Remicade**
 - Ankylosing spondylitis: **Remicade and Simponi Aria**
 - Polyarticular juvenile idiopathic arthritis: **Orencia**
- Can the patient's treatment be switched to a preferred product?
- Yes, *Please obtain Form for preferred product and submit for corresponding PA.*
- No
- B. Is this request for continuation of therapy with the requested product? Yes No, *skip to Question D*
- C. Is the patient currently receiving the requested product through samples or a manufacturer's patient assistance program? If unknown, answer Yes.
- Yes No, *skip to Clinical Criteria Questions*
- D. What is the diagnosis?
- | | |
|--|---|
| <input type="checkbox"/> Rheumatoid Arthritis | <input type="checkbox"/> Plaque psoriasis, <i>skip to Question F.</i> |
| <input type="checkbox"/> Crohn's disease, <i>skip to Question F.</i> | <input type="checkbox"/> Ulcerative colitis, <i>skip to Question F.</i> |
| <input type="checkbox"/> Psoriatic arthritis | <input type="checkbox"/> Ankylosing spondylitis, <i>skip to Question I.</i> |
| <input type="checkbox"/> Polyarticular juvenile idiopathic arthritis, <i>skip to Question H.</i> | |
| <input type="checkbox"/> Other, <i>skip to Clinical Criteria Questions</i> | |
- E. Has the patient had a documented inadequate response or intolerable adverse event with all of the preferred products (Orencia, Remicade, or Simponi Aria)? **Action Required: If 'Yes', attach supporting chart note(s).**
- Yes, *skip to Clinical Criteria Questions* No, *skip to Clinical Criteria Questions*
- F. Has the patient had a documented inadequate response or intolerable adverse event with the preferred product (Remicade)? **Action Required: If 'Yes', attach supporting chart note(s).**
- Yes, *skip to Clinical Criteria Questions* No
- G. Does the patient have one of the following documented clinical reasons to avoid Remicade? *Indicate below and skip to Clinical Criteria Questions.* **Action Required: If 'Yes', attach supporting chart note(s).**
- | |
|---|
| <input type="checkbox"/> Yes – History of demyelinating disorder |
| <input type="checkbox"/> Yes – History of congestive heart failure |
| <input type="checkbox"/> Yes – History of hepatitis B virus infection |
| <input type="checkbox"/> Yes – Autoantibody formation/lupus-like syndrome |
| <input type="checkbox"/> Yes – Risk of lymphoma |
| <input type="checkbox"/> No |
- H. Has the patient had a documented inadequate response or intolerable adverse event with the preferred product (Orencia)? **Action Required: If 'Yes', attach supporting chart note(s).**
- Yes, *skip to Clinical Criteria Questions* No, *skip to Clinical Criteria Questions*
- I. Has the patient had a documented inadequate response or intolerable adverse event with all preferred products (Remicade or Simponi Aria)? **Action Required: If 'Yes', attach supporting chart note(s).** Yes No

Site of Service Questions:

- A. Indicate the site of service requested:
- | | |
|---|--|
| <input type="checkbox"/> On Campus Outpatient Hospital | <input type="checkbox"/> Off Campus Outpatient Hospital |
| <input type="checkbox"/> Home infusion, <i>skip to Clinical Questions</i> | <input type="checkbox"/> Physician office, <i>skip to Clinical Questions</i> |
| <input type="checkbox"/> Ambulatory surgical, <i>skip to Clinical Questions</i> | <input type="checkbox"/> Pharmacy, <i>skip to Clinical Questions</i> |
| | <input type="checkbox"/> Inpatient hospital, <i>skip to Clinical Questions</i> |
- B. Is the patient less than 21 years old or 65 years of age or older?
- Yes – less than 21 years old
- Yes – age 65 years or older, *skip to Clinical Criteria Questions*
- No, *Skip to Question D.*

- C. After tolerance of the medication has been established, would this patient be a candidate to receive Ig therapy in a setting other than the hospital? *Indicate and skip to Clinical Criteria Questions* Yes No
- D. Is this request to continue previously established treatment with the requested medication?
 Yes No, *skip to Clinical Criteria Questions*
- E. Has the patient experienced moderate to severe adverse reactions with the requested medication use that have not responded to conventional interventions e.g. acetaminophen, steroids, diphenhydramine, fluids or other pre-medications? ***ACTION REQUIRED: Attach supporting clinical documentation.***
 Yes, *skip to Clinical Criteria Questions* No
- F. Does the patient have laboratory confirmed autoantibodies to the requested medication? ***ACTION REQUIRED: Attach supporting clinical documentation.*** Yes, *skip to Clinical Criteria Questions* No
- G. Has the patient previously experienced a severe adverse event during or immediately after an infusion including but not limited to: anaphylaxis, anaphylactoid reactions, myocardial infarction, thromboembolism, or seizures? ***ACTION REQUIRED: Attach supporting clinical documentation.***
 Yes, *skip to Clinical Criteria Questions* No
- H. Is the patient medically unstable which may include respiratory, cardiovascular, or renal conditions that may predispose the member to a severe adverse event that cannot be managed in an alternate setting without appropriate medical personnel and equipment? ***ACTION REQUIRED: Attach supporting clinical documentation.***
 Yes, *skip to Clinical Criteria Questions* No
- I. Does the patient have severe venous access issues that require the use of a special intervention? ***ACTION REQUIRED: Attach supporting clinical documentation.*** Yes, *skip to Clinical Criteria Questions* No
- J. Has the patient's home been previously determined to be inappropriate for home infusion by a social worker, case manager, or previous home care nurse assessment AND other non-hospital sites of service are not within a reasonable distance from the patient's home? ***ACTION REQUIRED: Attach supporting clinical documentation. Indicate and continue to Clinical Criteria Questions*** Yes No

Clinical Criteria Questions:

1. Has the patient been diagnosed with any of the following?
 Moderately to severely active rheumatoid arthritis (RA)
 Active polyarticular juvenile idiopathic arthritis (pJIA)
 Giant cell arteritis
 Unicentric Castleman's disease
 Active systemic juvenile idiopathic arthritis (sJIA)
 Multicentric Castleman's disease
 Other _____
2. What is the ICD-10 code? _____
If diagnosis is giant cell arteritis or Castleman's disease, skip to #8.
3. Is this request for continuation of therapy? Yes No *If No, skip to #7*
4. Is the patient currently receiving Actemra through samples or a manufacturer's patient assistance program?
 Yes No Unknown *If Yes or Unknown, skip to #7*
5. How long has the patient been receiving the requested medication? _____ months
If less than 3 months, no further questions.
6. Has the patient achieved or maintained positive clinical response to treatment as evidenced by low disease activity or improvement in signs and symptoms? *If Yes, no further questions* Yes No

7. Has the patient received any of the following medications?
If Yes, please indicate the most recent medication and skip to diagnosis section.
 Cimzia Cosentyx Enbrel Humira Inflectra Kevzara Kineret Orencia
 Remicade
 Renflexis Rituxan Siliq Simponi Simponi Aria Stelara Taltz Tremfya
 Xeljanz
 Xeljanz XR No
8. Has the patient undergone pretreatment screening for latent tuberculosis (TB) infection with either a TB skin test or an interferon gamma release assay (e.g., QFT-GIT, T-SPOT.TB)? Yes No

Complete the following section based on the patient's diagnosis, if applicable.

Section A: Rheumatoid Arthritis

9. Has the patient experienced an inadequate response after at least 3 months of treatment with the methotrexate dose greater than or equal to 20 mg per week? *If Yes, no further questions* Yes No
10. Has the patient experienced intolerance to methotrexate? *If Yes, no further questions* Yes No
11. Does the patient have a contraindication to methotrexate? Yes No
If Yes, indicate the contraindication: _____

Section B: Polyarticular Juvenile Idiopathic Arthritis

12. Has the patient experienced an inadequate response to a tumor necrosis factor (TNF) inhibitor (e.g., Enbrel, Humira, or Remicade) after at least 3 months of treatment? *If Yes, no further questions* Yes No
13. Has the patient experienced an intolerable adverse event to a tumor necrosis factor (TNF) inhibitor (e.g., Enbrel, Humira, or Remicade)? *If Yes, no further questions* Yes No
14. Does the patient have contraindication to tumor necrosis factor (TNF) inhibitors (e.g., Enbrel, Humira, or Remicade)? Yes No

Section C: Systemic Juvenile Idiopathic Arthritis

15. Has the patient experienced an inadequate response to ANY of the following?
 At least 2 weeks of treatment with corticosteroids (e.g. prednisone, methylprednisolone)
 At least 3 months of treatment with methotrexate
 At least 3 months of treatment with leflunomide
 No – No history of an inadequate response to any of the above

I attest that this information is accurate and true, and that documentation supporting this information is available for review if requested by CVS Caremark or the benefit plan sponsor.

X _____

Prescriber or Authorized Signature

Date (mm/dd/yy)