



## Entyvio (for Maryland only) Prior Authorization Request

Send completed form to: Case Review Unit, CVS Caremark Prior Authorization Fax: 1-866-249-6155

CVS Caremark administers the prescription benefit plan for the patient identified. This patient's benefit plan requires prior authorization for certain medications in order for the drug to be covered. To make an appropriate determination, providing the most accurate diagnosis for the use of the prescribed medication is necessary. **Please respond below and fax this form to CVS Caremark toll-free at 1-866-249-6155**. If you have questions regarding the prior authorization, please contact CVS Caremark at **1-866-814-5506**. For inquiries or questions related to the patient's eligibility, drug copay or medication delivery; please contact the Specialty Customer Care Team: CaremarkConnect<sup>®</sup> 1-800-237-2767.

The recipient of this fax may make a request to opt-out of receiving telemarketing fax transmissions from CVS Caremark. There are numerous ways you may opt-out: The recipient may call the toll-free number at 877-265-2711, at any time, 24 hours a day/7 days a week. The recipient may also send an opt-out request via email to <a href="mailto:do\_not\_call@cvscaremark.com">do\_not\_call@cvscaremark.com</a>. An opt out request is only valid if it (1) identifies the number to which the request relates, and (2) if the person/entity making the request does not, subsequent to the request, provide express invitation or permission to CVS Caremark to send facsimile advertisements to such person/entity at that particular number. CVS Caremark is required by law to honor an opt-out request within thirty days of receipt.

Patient's Name:Patient's ID:		Date:Patient's Date of Birth:			
					Ph
Specialty:Physician Office Telephone:		NPI#:Physician Office Fax:			
					Re
1.	Has the patient been diagnosed with any of the following Moderately to severely active Crohn's disease (CD) ☐ Moderately to severely active ulcerative colitis (UC ☐ Other				
2.	What is the ICD-10 code?				
Sec	ction A: Preferred Product				
3.					
4.	Is this request for continuation of therapy with the requ	uested product?			
5.	Is the patient currently receiving the requested product through samples or a manufacturer's patient assistance program? If unknown, answer Yes. $\square$ Yes $\square$ No If No, skip to Section B: All Requests				
6.	Has the patient had a documented inadequate response preferred products? Please indicate ALL that apply. <i>note(s)</i> . □ Cimzia: □ Inadequate response	ACTION REQUIRED: If Yes, attach supporting chart			
recip	e: This fax may contain medical information that is privileged and confidential pient you hereby are advised that any dissemination, distribution, or copying of rediately notify the sender by telephone and destroy the original fax message.				

CVS Caremark is an independent company that provides pharmacy benefit management services to CareFirst BlueCross BlueShield and CareFirst BlueChoice, Inc. members.

	☐ Humira: ☐ Simponi: ☐ None of the above, <i>complete</i>	☐ Inadequate response☐ Inadequate response ethis form in its entirety ar	☐ Intole	rable adverse event rable adverse event nplete Maryland State Step Therapy Section		
7.	Does the patient have one of the following documented clinical reasons to avoid TNF inhibitors (Humira, Cimzia or Simponi)? <i>ACTION REQUIRED: If Yes, attach supporting chart note(s)</i> . ☐ Yes - History of demyelinating disorder ☐ Yes - Autoantibody formation/lupus-like syndrome					
	☐ Yes - History of congestive ☐ Yes - History of hepatitis B	virus infection		Risk of lymphoma o complete Maryland State Step Therapy		
<u>Sec</u> 8.	tion B: All Requests  Is this request for continuation	of therapy? □ Yes □ N	o <i>If No, s</i>	skip to #12		
9.	Is the patient currently receiving Entyvio through samples or a manufacturer's patient assistance program? ☐ Yes ☐ No ☐ Unknown If Yes or Unknown, skip to #12					
10.	. How long has the patient been receiving the requested medication? months If less than 4 months, no further questions.					
11.	Has the patient achieved or maintained positive clinical response to treatment as evidenced by low disease activity or improvement in signs and symptoms? <i>If Yes, no further questions</i> $\square$ Yes $\square$ No					
12.	Has the patient received any of the following medications?  If Yes, please indicate the most recent medication and skip to diagnosis section.  □ Cimzia □ Humira □ Inflectra □ Remicade □ Renflexis □ Simponi □ Stelara □ Tysabri □ No					
13.	Has the patient undergone pretreatment screening for latent tuberculosis (TB) infection with either a TB skin test or an interferon gamma release assay (e.g., QFT-GIT, T-SPOT.TB)? ☐ Yes ☐ No					
	tion C: Crohn's Disease  Has the patient tried and had a	n inadequate response to at	least one	conventional therapy option?		
17.	If Yes, indicate below and no fi  Yes - Sulfasalazine (Azulfic  Yes - Mesalamine, oral (As.  Yes - Metronidazole (Flagy  Yes - Ciprofloxacin (Cipro)  Yes - Prednisone	iurther questions. line, Sulfazine) acol, Pentasa, Delzicol, Lia l)	lda)	☐ Yes - Azathioprine (Azasan, Imuran) ☐ Yes - Mercaptopurine (Purinethol) ☐ Yes - Methotrexate ☐ Yes - Methylprednisolone (Solu-Medrol) ☐ Yes - Rifaximin (Xifaxan)		
	☐ Yes - Budesonide (Entocort	EC)		□ No		
15.	Does the patient have a contraindication or intolerance to at least one conventional therapy option (e.g., azathioprine [Azasan, Imuran], budesonide [Entocort EC], ciprofloxacin [Cipro], mesalamine [Asacol, Delzicol, Lialda, Pentasa], mercaptopurine [Purinethol], methylprednisolone [Solu-Medrol], methotrexate, metronidazole [Flagyl], prednisone, sulfasalazine [Azulfidine, Sulfazine], rifaximin [Xifaxan])? <i>If Yes, no further questions</i> $\square$ Yes $\square$ No					
16.	Has the patient had an inadequate response to a TNF-alpha inhibitor indicated for the treatment of CD (e.g., Cimzia, Humira, Remicade)? If Yes, no further questions $\square$ Yes $\square$ No					
17.	Does the patient have a contraindication or intolerance to a TNF-alpha inhibitor indicated for the treatment of CD (e.g., Cimzia, Humira, Remicade)?    Yes   No					
	tion D: Ulcerative Colitis  Has the patient tried and had a  If Yes, indicate below and no form  Yes - Azathioprine (Azasan  Yes - Corticosteroid (e.g., b  Cortef], methylprednisolone [N	urther questions. , Imuran) udesonide [Entocort, Uceri	s], hydroc	conventional therapy option? ortisone [Cortifoam, Colocort, Solu-Cortef,		

Pre	escriber or Authorized Signature Date (mm/dd/yy)
<b>X</b> _	
	ttest that this information is accurate and true, and that documentation supporting this ormation is available for review if requested by CVS Caremark or the benefit plan sponsor.
6.	Has the prescriber provided proof documented in the patient chart notes that in their opinion the requested drug is effective for the patient's condition? $\square$ Yes $\square$ No
5.	Do patient chart notes document the requested drug was ordered with a paid claim at the pharmacy, the pharmacy filled the prescription and delivered to the patient or other documentation that the requested drug was prescribed for the patient in the last 180 days?    Yes   No
4.	Does the prescribed quantity fall within the manufacturer's published dosing guidelines or within dosing guidelines found in the compendia of current literature (examples: package insert, AHFS, Lexicomp, Clinical Pharmacology, Micromedex, current accepted guidelines)? $\square$ Yes $\square$ No
3.	Is the requested drug being used for an FDA-approved indication OR an indication supported in the compendia of current literature (examples: AHFS, Lexicomp, Clinical Pharmacology, Micromedex, current accepted guidelines)?   Yes  No
2.	Is the requested drug's use consistent with the FDA-approved indication or the National Comprehensive Cancel Network Drugs & Biologics Compendium indication for the treatment of stage four advanced metastatic cancel and is supported by peer-reviewed medical literature? $\square$ Yes $\square$ No
	Iryland State Step Therapy  Is the requested drug being used to treat stage four advanced metastatic cancer?  ☐ Yes ☐ No If No, skip to #3
21.	Does the patient have a contraindication or intolerance to a TNF-alpha inhibitor indicated for the treatment of UC (e.g., Humira, Remicade, Simponi)? ☐ Yes ☐ No
20.	Has the patient had an inadequate response to a TNF-alpha inhibitor indicated for the treatment of UC (e.g., Humira, Remicade, Simponi)? If Yes, no further questions $\square$ Yes $\square$ No
19.	Does the patient have a contraindication or intolerance to at least one conventional therapy option (e.g., azathioprine [Azasan, Imuran], corticosteroid [e.g., budesonide [Entocort, Uceris], hydrocortisone [Cortifoam, Colocort, Solu-Cortef, Cortef], methylprednisolone [Medrol, Solu-Medrol], prednisone], cyclosporine [Sandimmune], mesalamine [Asacol, Lialda, Pentasa, Canasa, Rowasa], mercaptopurine [Purinethol], sulfasalazine, tacrolimus [Prograf], metronidazole/ciprofloxacin [for pouchitis only])? <i>If Yes, no further questions</i> $\square$ Yes $\square$ No
	☐ Yes - Cyclosporine (Sandimmune) ☐ Yes - Mesalamine (e.g., Asacol, Lialda, Pentasa, Canasa, Rowasa) ☐ Yes - Mercaptopurine (Purinethol) ☐ Yes - Sulfasalazine ☐ Yes - Tacrolimus (Prograf) ☐ Yes - Metronidazole (Flagyl) or Ciprofloxacin (Cipro) (for pouchitis only) ☐ No