

Hizentra
Prior Authorization Request

Send completed form to: Case Review Unit CVS Caremark Specialty Programs Fax: 1-855-330-1720

CVS Caremark administers the prescription benefit plan for the patient identified. This patient's benefit plan requires prior authorization for certain medications in order for the drug to be covered. To make an appropriate determination, providing the most accurate diagnosis for the use of the prescribed medication is necessary. **Please respond below and fax this form to CVS Caremark toll-free at 1-855-330-1720.** If you have questions regarding the prior authorization, please contact CVS Caremark at **1-866-814-5506**. For inquiries or questions related to the patient's eligibility, drug copay or medication delivery; please contact the Specialty Customer Care Team: CaremarkConnect® 1-800-237-2767.

Patient's Name: _____ **Date:** _____
Patient's ID: _____ **Patient's Date of Birth:** _____
Physician's Name: _____
Specialty: _____ **NPI#:** _____
Physician Office Telephone: _____ **Physician Office Fax:** _____

Approvals may be subject to dosing limits in accordance with FDA-approved labeling, accepted compendia, and/or evidence-based practice guidelines.

Additional Demographic Information:

Patient Weight: _____ *kg*
Patient Height: _____ *ft* _____ *inches*

Criteria Questions:

1. What is the patient's diagnosis?
 Primary immunodeficiency (eg, common variable immunodeficiency, X-linked agammaglobulinemia, severe combined immunodeficiency, Wiskott-Aldrich syndrome)
 Other _____
2. What is the ICD-10 code? _____
3. Is the patient currently receiving immune globulin therapy (intravenous or subcutaneous) through health insurance?
**NOTE: Note: If the patient is receiving immune globulin therapy (intravenous or subcutaneous) through samples or a manufacturer's patient assistance program, please answer "No".* Yes No *If No, skip to #8*
4. Has the patient experienced a reduction in the frequency of bacterial infections since starting immune globulin therapy? Yes No
5. Does the prescriber measure trough IgG levels at least once per year? Yes No
6. Is the most recent trough IgG level at or above the lower range of normal for age? ***ACTION REQUIRED: Attach a copy of the laboratory report with a recent IgG trough level***
 Yes, *no further questions* No Not applicable for diagnosis, *no further questions*
7. Will the prescriber re-evaluate the dose of immune globulin and consider a dose adjustment (when clinically appropriate)? Yes No Not applicable/not clinically appropriate *No further questions*

Note: This fax may contain medical information that is privileged and confidential and is solely for the use of individuals named above. If you are not the intended recipient you hereby are advised that any dissemination, distribution, or copying of this communication is prohibited. If you have received the fax in error, please immediately notify the sender by telephone and destroy the original fax message. Hizentra SGM – 11/2016.

CVS Caremark is an independent company that provides pharmacy benefit management services to CareFirst BlueCross BlueShield and CareFirst BlueChoice, Inc. members.

CareFirst BlueCross BlueShield is the shared business name of CareFirst of Maryland, Inc. and Group Hospitalization and Medical Services, Inc. CareFirst BlueCross BlueShield and CareFirst BlueChoice, Inc. are both independent licensees of the Blue Cross and Blue Shield Association. The Blue Cross and Blue Shield Names and Symbols are registered trademarks of the Blue Cross and Blue Shield Association. ® Registered trademark of CareFirst of Maryland, Inc.

8. What is the specific immunodeficiency disorder? *List continues on following page.*
- Severe combined immunodeficiency (SCID), *specify:* _____
 - Congenital agammaglobulinemia (eg, X-linked or autosomal recessive agammaglobulinemia)
 - Wiskott-Aldrich syndrome
 - DiGeorge syndrome
 - Ataxia-telangiectasia
 - Other non-SCID combined immunodeficiency disorder, *specify:* _____
 - Common variable immunodeficiency (CVID)
 - Hypogammaglobulinemia (unspecified)
 - Selective IgA deficiency
 - Selective IgM deficiency
 - IgG subclass deficiency
 - Specific antibody deficiency
 - Other predominant antibody deficiency disorder, *specify:* _____
 - Other immunodeficiency disorder/none of the above, *specify:* _____
9. **ACTION REQUIRED:** Please indicate and attach a copy of the following **pre-treatment** laboratory information (where applicable):
- IgG (total) level: _____ mg/dL
 - a) Is IgG (total) level within the normal reference range? Yes No
 - b) If No, is the IgG level greater than or equal to (\geq) 2 SD below the mean for age? Yes No
 - IgG subclass levels:
 - a) IgG1 _____ mg/dL
 - b) IgG2 _____ mg/dL
 - c) IgG3 _____ mg/dL
 - d) Other _____
 - e) Are the IgG subclass levels within the normal reference range? Yes No
 - f) If No, is the level(s) greater than or equal to (\geq) 2 SD below the mean for age? Yes No
 - g) Were IgG subclass levels measured on at least 2 different occasions? Yes No
 - IgA level: _____ mg/dL
 - a) Is the IgA level within the normal reference range? Yes No
 - IgM level: _____ mg/dL
 - a) Is the IgM level within the normal reference range? Yes No
10. *If diagnosis is severe combined immunodeficiency, are maternal T cells present in the circulation?*
If Yes, no further questions. Yes No
11. *If diagnosis is severe combined immunodeficiency, what is the patient's CD3 T cell count? _____ per microliter*
ACTION REQUIRED: Attach a copy of the laboratory report with lymphocyte subset enumeration by flow cytometry. *No further questions.*
12. Has the patient demonstrated an impaired antibody response to vaccination with a pneumococcal polysaccharide vaccine? **ACTION REQUIRED: If yes, please attach a copy of the laboratory report with post-vaccination titers.**
 Yes No Not applicable *If No or Not applicable, skip to #15*
13. *If patient is greater than or equal to 6 years of age, did the patient have protective antibody levels (at least 1.3 mcg/mL) for at least 70% of serotypes in the vaccine?* Yes No
14. *If patient is 2 to 5 years of age, did the patient have protective antibody levels (at least 1.3 mcg/mL) for at least 50% of serotypes in the vaccine?* Yes No
15. If applicable, was the diagnosis confirmed by molecular or genetic testing? **ACTION REQUIRED: Please attach a copy of the laboratory report or other medical record that shows the results of molecular/genetic testing.**
 Yes No Not applicable to diagnosis
16. Have other causes of immune deficiency been excluded (eg, drugs, infectious disease, malignancy)?
 Yes No Not applicable to diagnosis
17. Does the patient have a history of recurrent bacterial infections (eg, pneumonia, otitis media, sinusitis, sepsis, gastrointestinal infections)? Yes No

I attest that this information is accurate and true, and that documentation supporting this information is available for review if requested by CVS Caremark or the benefit plan sponsor.

X

Prescriber or Authorized Signature

Date (mm/dd/yy)