

Member Name: {{MEMFIRST}} {{MEMLAST}} DOB: {{MEMBERDOB}} PA Number: {{PANUMBER}}



[[PANUMCODE]]

Stelara

Prior Authorization Request

CVS Caremark administers the prescription benefit plan for the patient identified. This patient's benefit plan requires prior authorization for certain medications in order for the drug to be covered. To make an appropriate determination, providing the most accurate diagnosis for the use of the prescribed medication is necessary. **Please respond below and fax this form to CVS Caremark toll-free at 1-866-249-6155.** If you have questions regarding the prior authorization, please contact CVS Caremark at **1-866-814-5506**. For inquiries or questions related to the patient's eligibility, drug copay or medication delivery; please contact the Specialty Customer Care Team: CaremarkConnect® 1-800-237-2767.

The recipient of this fax may make a request to opt-out of receiving telemarketing fax transmissions from CVS Caremark. There are numerous ways you may opt-out: The recipient may call the toll-free number at 877-265-2711, at any time, 24 hours a day/7 days a week. The recipient may also send an opt-out request via email to do_not_call@cvscaremark.com. An opt out request is only valid if it (1) identifies the number to which the request relates, and (2) if the person/entity making the request does not, subsequent to the request, provide express invitation or permission to CVS Caremark to send facsimile advertisements to such person/entity at that particular number. CVS Caremark is required by law to honor an opt-out request within thirty days of receipt.

Patient's Name: {{MEMFIRST}} {{MEMLAST}} **Date:** {{TODAY}}
Patient's ID: {{MEMBERID}} **Patient's Date of Birth:** {{MEMBERDOB}}
Physician's Name: {{PHYFIRST}} {{PHYLAST}}
Specialty: _____, **NPI#:** _____
Physician Office Telephone: {{PHYSICIANPHONE}} **Physician Office Fax:** {{PHYSICIANFAX}}
Request Initiated For: {{DRUGNAME}}

- What is the prescribed dose and frequency?
 - Loading dose:**
 - Stelara SQ 45 mg Quantity and Frequency: _____
 - Stelara SQ 90 mg Quantity and Frequency: _____
 - Stelara IV Quantity and Frequency: _____
 - Other _____
 - Maintenance dose:**
 - Stelara SQ 45 mg Quantity and Frequency: _____
 - Stelara SQ 90 mg Quantity and Frequency: _____
 - Stelara IV Quantity and Frequency: _____
 - Other _____
- What is the diagnosis?
 - Plaque psoriasis (PsO)
 - Psoriatic arthritis with co-existent plaque psoriasis
 - Moderately to severely active Crohn's disease (CD)
 - Moderately to severely active ulcerative colitis (UC)
 - Active psoriatic arthritis WITHOUT co-existent plaque psoriasis (PsA)
 - Other _____
- What is the ICD-10 code? _____ Patient's weight: _____ kg / lbs (*circle one*)

Section A: Preferred Product

- These are the preferred products for which coverage is provided for the treatment of the following indications:
 - Psoriatic arthritis: **Cosentyx, Enbrel, Humira, Otezla, Remicade, Simponi Aria**
 - Crohn's disease: **Humira, Remicade**
 - Ulcerative colitis: **Humira, Remicade**Can the patient's treatment be switched to a preferred product?
 - Yes - Please specify: _____ *If Yes, please call 1-866-814-5506 to have the updated form faxed to your office OR you may complete the PA electronically (ePA). You may sign up online via CoverMyMeds at: www.covermymeds.com/epa/caremark/ or call 1-866-452-5017.*
 - No Not applicable - Requested for condition not listed above, skip to Section B: All Requests

Send completed form to: Case Review Unit, CVS Caremark Prior Authorization Fax: 1-866-249-6155

Note: This fax may contain medical information that is privileged and confidential and is solely for the use of individuals named above. If you are not the intended recipient you hereby are advised that any dissemination, distribution, or copying of this communication is prohibited. If you have received the fax in error, please immediately notify the sender by telephone and destroy the original fax message. Stelara State Step, VF, ACSF SGM - 4/2021.

CVS Caremark Prior Authorization • 1300 E. Campbell Road • Richardson, TX 75081

Phone: 1-866-814-5506 • Fax: 1-866-249-6155 • www.caremark.com

Member Name: {{MEMFIRST}} {{MEMLAST}} **DOB:** {{MEMBERDOB}} **PA Number:** {{PANUMBER}}

5. Is this request for continuation of therapy with the requested product? Yes No *If No, skip to #7*
6. Is the patient currently receiving the requested product through samples or a manufacturer's patient assistance program? If unknown, answer Yes. Yes No *If No, skip to Section B: All Requests.*
7. Does the patient have a documented inadequate response or intolerable adverse event with any of the following preferred products? **ACTION REQUIRED: If Yes, attach supporting chart note(s). Indicate ALL that apply.**
- | | | |
|--|--|--|
| <input type="checkbox"/> Cosentyx: | <input type="checkbox"/> Inadequate response | <input type="checkbox"/> Intolerable adverse event |
| <input type="checkbox"/> Enbrel: | <input type="checkbox"/> Inadequate response | <input type="checkbox"/> Intolerable adverse event |
| <input type="checkbox"/> Humira: | <input type="checkbox"/> Inadequate response | <input type="checkbox"/> Intolerable adverse event |
| <input type="checkbox"/> Otezla: | <input type="checkbox"/> Inadequate response | <input type="checkbox"/> Intolerable adverse event |
| <input type="checkbox"/> Remicade: | <input type="checkbox"/> Inadequate response | <input type="checkbox"/> Intolerable adverse event |
| <input type="checkbox"/> Simponi Aria: | <input type="checkbox"/> Inadequate response | <input type="checkbox"/> Intolerable adverse event |
- No - None of the above

If No - None of the above, complete this form in its entirety and State Step Therapy section.

8. Does the patient have one of the following documented clinical reasons to avoid the preferred products that are TNF inhibitors (Enbrel and/or Humira)? **ACTION REQUIRED: If Yes, attach supporting chart note(s).**
- Yes - History of demyelinating disorder - *Indicate drug(s):* _____
- Yes - History of congestive heart failure- *Indicate drug(s):* _____
- Yes - History of hepatitis B virus infection- *Indicate drug(s):* _____
- Yes - Autoantibody formation/lupus-like syndrome (attributed to TNF inhibitor)
- Indicate drug(s):* _____
- Yes - Risk of lymphoma- *Indicate drug(s):* _____
- No - none of the above
- Not applicable - requested medication is a TNF inhibitor

If No - none of the above OR Not applicable - requested medication is not a TNF inhibitor, complete this form in its entirety and State Step Therapy section.

Section B: All Requests

9. Will the requested drug be used in combination with any other biologic (e.g., Humira) or targeted synthetic disease modifying antirheumatic drug (DMARD) (e.g., Olumiant, Otezla, Xeljanz)? Yes No
10. Has the patient ever received (including current utilizers) a biologic (e.g., Humira) or targeted synthetic DMARD (e.g., Olumiant, Xeljanz) associated with an increased risk of tuberculosis? *If Yes, skip to #12* Yes No
11. Has the patient had a tuberculosis (TB) test (e.g., tuberculosis skin test [PPD], interferon-release assay [IGRA], chest x-ray) within 6 months of initiating therapy? *If Yes, skip to #14* Yes No
12. Does the patient have risk factors for tuberculosis (TB) (e.g., persons with close contact to people with infectious TB disease; persons who have recently immigrated from areas of the world with high rates of TB [e.g., Africa, Asia, Eastern Europe, Latin America, Russia]; children less than 5 years of age who have a positive TB test; groups with high rates of TB transmission [e.g., homeless persons, injection drug users, persons with HIV infection], or persons who work or reside with people who are at an increased risk for active TB [e.g., hospitals, long-term care facilities, correctional facilities, homeless shelters])? Yes No *If No, skip to #17*
13. Has the patient been tested for tuberculosis (TB) within the previous 12 months? Yes No
14. What were the results of the TB test? Positive for TB Negative for TB, *skip to #17* Unknown
15. Does the patient have latent or active tuberculosis (TB)? Latent Active Unknown
16. Has treatment for latent tuberculosis (TB) infection been initiated or completed?
 Yes - treatment initiated Yes - treatment completed No
17. Is the patient currently receiving Stelara? Yes No
18. Is this request for continuation of therapy with the requested drug?
 Yes No *If No, skip to diagnosis section.*

Send completed form to: Case Review Unit, CVS Caremark Prior Authorization Fax: 1-866-249-6155

Note: This fax may contain medical information that is privileged and confidential and is solely for the use of individuals named above. If you are not the intended recipient you hereby are advised that any dissemination, distribution, or copying of this communication is prohibited. If you have received the fax in error, please immediately notify the sender by telephone and destroy the original fax message. Stelara State Step, VF, ACSF SGM - 4/2021.

CVS Caremark Prior Authorization • 1300 E. Campbell Road • Richardson, TX 75081

Phone: 1-866-814-5506 • Fax: 1-866-249-6155 • www.caremark.com

Member Name: {{MEMFIRST}} {{MEMLAST}} **DOB:** {{MEMBERDOB}} **PA Number:** {{PANUMBER}}

19. Is the patient currently receiving the requested drug through samples or a manufacturer's patient assistance program? *If Yes or Unknown, skip to diagnosis section.* Yes No Unknown
20. Has the patient achieved or maintained positive clinical response to treatment as evidenced by low disease activity or improvement in signs and symptoms since starting treatment with the requested drug?
 Yes No *No further questions*

Complete the following section based on the patient's diagnosis, if applicable.

Section C: Plaque Psoriasis AND/OR Psoriatic Arthritis with Co-Existent Plaque Psoriasis

21. Has the patient been diagnosed with moderate to severe plaque psoriasis? Yes No
22. Has the patient ever received (including current utilizers) Otezla or a biologic (e.g., Humira) indicated for the treatment of moderate to severe plaque psoriasis? *If Yes, no further questions.* Yes No
23. Are crucial body areas (e.g., hands, feet, face, neck, scalp, genitals/groin, intertriginous areas) affected?
If Yes, no further questions. Yes No
24. What is the percentage of body surface area (BSA) affected (prior to starting the requested medication)?
_____ %
25. Has the patient experienced an inadequate response, or has an intolerance to phototherapy (e.g., UVB, PUVA) or pharmacologic treatment with methotrexate, cyclosporine or acitretin?
If Yes, no further questions Yes No
26. Does the patient have a clinical reason to avoid pharmacologic treatment with methotrexate, cyclosporine and acitretin? Yes No
If Yes, indicate clinical reason: _____

Section D: Crohn's Disease

27. Has the patient ever received (including current utilizers) a biologic (e.g., Humira) indicated for Crohn's disease?
If Yes, no further questions. Yes No
28. Has the patient tried and had an inadequate response to at least one conventional therapy option?
If Yes, indicate below and no further questions.
- | | |
|---|---|
| <input type="checkbox"/> Yes - Sulfasalazine (Azulfidine, Sulfazine) | <input type="checkbox"/> Yes - Metronidazole (Flagyl) |
| <input type="checkbox"/> Yes - Ciprofloxacin (Cipro) | <input type="checkbox"/> Yes - Prednisone |
| <input type="checkbox"/> Yes - Budesonide (Entocort EC) | <input type="checkbox"/> Yes - Azathioprine (Azasan, Imuran) |
| <input type="checkbox"/> Yes - Mercaptopurine (Purinethol) | <input type="checkbox"/> Yes - Methylprednisolone (Solu-Medrol) |
| <input type="checkbox"/> Yes - Methotrexate intramuscular (IM) or subcutaneous (SC) | <input type="checkbox"/> Yes - Rifaximin (Xifaxan) |
| <input type="checkbox"/> Yes - Tacrolimus | <input type="checkbox"/> No |
29. Does the patient have a contraindication or intolerance to at least one conventional therapy option (e.g., azathioprine [Azasan, Imuran], budesonide [Entocort EC], ciprofloxacin [Cipro], mercaptopurine [Purinethol], methylprednisolone [Solu-Medrol], methotrexate, metronidazole [Flagyl], prednisone, sulfasalazine [Azulfidine, Sulfazine], rifaximin [Xifaxan], tacrolimus)? Yes No

Section E: Ulcerative Colitis

30. Has the patient ever received (including current utilizers) a biologic (e.g., Humira) or targeted synthetic disease modifying drug (e.g., Xeljanz) indicated for moderately to severely active ulcerative colitis?
If Yes, no further questions. Yes No
31. Has the patient tried and had an inadequate response to at least one conventional therapy option?
If Yes, indicate below and no further questions. List continues on following page.
- | |
|---|
| <input type="checkbox"/> Yes - Azathioprine (Azasan, Imuran) |
| <input type="checkbox"/> Yes - Sulfasalazine |
| <input type="checkbox"/> Yes - Cyclosporine (Sandimmune) |
| <input type="checkbox"/> Yes - Tacrolimus (Prograf) |
| <input type="checkbox"/> Yes - Mercaptopurine (Purinethol) |
| <input type="checkbox"/> Yes - Metronidazole (Flagyl) or Ciprofloxacin (Cipro) (for pouchitis only) |

Send completed form to: Case Review Unit, CVS Caremark Prior Authorization Fax: 1-866-249-6155

Note: This fax may contain medical information that is privileged and confidential and is solely for the use of individuals named above. If you are not the intended recipient you hereby are advised that any dissemination, distribution, or copying of this communication is prohibited. If you have received the fax in error, please immediately notify the sender by telephone and destroy the original fax message. Stelara State Step, VF, ACSF SGM - 4/2021.

CVS Caremark Prior Authorization • 1300 E. Campbell Road • Richardson, TX 75081

Phone: 1-866-814-5506 • Fax: 1-866-249-6155 • www.caremark.com

Member Name: {{MEMFIRST}} {{MEMLAST}} DOB: {{MEMBERDOB}} PA Number: {{PANUMBER}}

- Yes - Mesalamine (e.g., Asacol, Lialda, Pentasa, Canasa, Rowasa), balsalazide, olsalazine
- Yes - Corticosteroid (e.g., budesonide [Entocort, Uceris], hydrocortisone [Cortifoam, Colocort, Solu-Cortef, Cortef], methylprednisolone [Medrol, Solu-Medrol], prednisone)
- No

32. Does the patient have a contraindication or intolerance to at least one conventional therapy option (e.g., azathioprine [Azasan, Imuran], corticosteroid [e.g., budesonide [Entocort, Uceris], hydrocortisone, methylprednisolone, prednisone, cyclosporine [Sandimmune], mesalamine [Asacol, Lialda, Pentasa, Canasa, Rowasa], balsalazide, olsalazine, mercaptopurine [Purinethol], sulfasalazine, tacrolimus [Prograf], metronidazole/ciprofloxacin [for pouchitis only])? Yes No

State Step Therapy

1. Is the requested drug being used for an FDA-approved indication or an indication supported in the compendia of current literature (examples: AHFS, Lexicomp, Clinical Pharmacology, Micromedex, current accepted guidelines)? Yes No
2. Does the prescribed quantity fall within the manufacturer's published dosing guidelines or within dosing guidelines found in the compendia of current literature (examples: package insert, AHFS, Lexicomp, Clinical Pharmacology, Micromedex, current accepted guidelines)? Yes No
3. Does the patient reside in Maryland? Yes No *If No, skip to #7*
4. Is the alternate drug (see below) FDA-approved for the medical condition being treated?
 Yes No *If No, please specify: _____*
5. Has the prescriber provided proof, documented in the patient's chart notes, indicating that the requested drug was ordered for the patient in the past 180 days? Yes No *If No, skip to #7*
6. Has the prescriber provided proof, documented in the patient chart notes, that in their opinion the requested drug is effective for the patient's condition? Yes No *No further questions*
7. Are any of the following conditions met for the alternate drug (see below)?
 - The alternate drug is contraindicated
 - The alternate drug is likely to cause an adverse reaction, physical or mental harm
 - The alternate drug is expected to be ineffective
 - The alternate drug was previously tried or a drug in the same class or with the same action was previously tried and was stopped due to ineffectiveness or an adverse event
 - The alternate drug is not in the patient's best interest
 - The alternate drug was tried while covered by the current or the previous health benefit plan
 - None of the above*If Yes, please specify: _____*
8. Is the patient stable or currently receiving a positive therapeutic outcome with the requested drug and a change in the prescription drug is expected to be ineffective or cause harm to the patient? Yes No

Alternate drug(s) based on diagnosis:

- a) Psoriatic arthritis: **Cosentyx, Enbrel, Humira, Otezla, Remicade, Simponi Aria**
- b) Crohn's disease: **Humira, Remicade**
- c) Ulcerative colitis: **Humira, Remicade**

I attest that this information is accurate and true, and that documentation supporting this information is available for review if requested by CVS Caremark or the benefit plan sponsor.

X _____

Prescriber or Authorized Signature

Date (mm/dd/yy)

Send completed form to: Case Review Unit, CVS Caremark Prior Authorization Fax: 1-866-249-6155

Note: This fax may contain medical information that is privileged and confidential and is solely for the use of individuals named above. If you are not the intended recipient you hereby are advised that any dissemination, distribution, or copying of this communication is prohibited. If you have received the fax in error, please immediately notify the sender by telephone and destroy the original fax message. Stelara State Step, VF, ACSF SGM - 4/2021.

CVS Caremark Prior Authorization • 1300 E. Campbell Road • Richardson, TX 75081

Phone: 1-866-814-5506 • Fax: 1-866-249-6155 • www.caremark.com